

	Type	Hits	Search Text
1	BRS	10982	encod\$4 adj information
2	BRS	0	((encod\$4 adj information) same ((ic adj card) or (smart adj card))) and (PKCS15)
3	BRS	0	(encod\$4 adj information) and (PKCS15)
4	BRS	1	((encod\$4 adj information) same ((ic adj card) or (smart adj card))) and (PKCS\$3)
5	BRS	22	(encod\$4 adj information) and (PKCS\$3)
6	BRS	1729	235/492.ccls.
7	BRS	0	(encod\$4 adj information) same ((ic adj card) or (smart adj card)) same (directory adj file)
8	BRS	41	(encod\$4 adj information) same ((ic adj card) or (smart adj card))
9	BRS	43	memory same allocat\$4 same pointer same (data adj object)
10	BRS	0	(memory same allocat\$4 same pointer same (data adj object)) and ((smart adj card) or (ic adj card))
11	BRS	0	(memory same allocat\$4 same pointer same (data adj object)) and ((chip adj card) or (ic adj card))
12	BRS	0	(memory same allocat\$4 same pointer same (data adj object)) and (PKCS\$4)
13	BRS	4	memory same allocat\$4 same pointer same (directory adj file)
14	BRS	12	("3573747" "3648249" "3699532" "3984819" "4019176" "4057849" "4227178" "4323967" "4376982" "4379950" "4393381" "4403321").PN.
15	BRS	25	4633245.URPN.
16	BRS	0	memory same allocat\$4 same (pointer adj data) same (directory adj file)
17	BRS	353	pointer\$1 same (available adj memory)
18	BRS	0	pointer\$1 same (available adj memory) same (center or middle) same locat\$4
19	BRS	0	pointer\$1 same (available adj memory) same (center or middle)
20	BRS	427	pointer\$1 same (available or remain\$4) same (center or middle)
21	BRS	133	pointer\$1 same (available or remain\$4) same (center or middle) same locat\$4
22	BRS	0	pointer\$1 same (available or remain\$4) same (center or middle) same locat\$4 same (data adj4 object)

	Type	Hits	Search Text
23	BRS	1	pointer\$1 same (available or remain\$4) same (center or middle) same locat\$4 same (directory near4 file)
24	BRS	1	pointer\$1 same (available or remain\$4) same (center or middle) same locat\$4 same (NVM or (non-volatile adj memory))
25	BRS	23	pointer\$1 same (available or remain\$4) same (center or middle) same locat\$4 same memory
26	IS&R	1	("6441290").PN.
27	IS&R	4	((("5519831") or ("6141055")).PN.
28	IS&R	2	("5903900").PN.
29	BRS	1870	apl
30	BRS	11	apl and (IBM.as.)
31	BRS	618	711/170.ccls.
32	BRS	112	711/170.ccls. and (encod\$4)
33	BRS	43	711/170.ccls. and (encod\$4) and (pointer)
34	BRS	42	711/170.ccls. and (encod\$4) and (pointer) and (address\$2)
35	BRS	41	711/170.ccls. and (encod\$4) and (pointer) and (address\$2) and (available or sequent\$4)
36	BRS	3	711/170.ccls. and (encod\$4) and (pointer) and (address\$2) and (available or sequent\$4) same middle
37	BRS	2255	235/487.ccls.
38	BRS	2652	235/380.ccls.
39	BRS	3527	235/375.ccls.
40	BRS	3	235/487.ccls. and 235/380.ccls. and 235/375.ccls. and (memory same management)
41	BRS	415	711/173.ccls.
42	BRS	189	711/201.ccls.
43	BRS	0	711/173.ccls. and 711/201.ccls. and (memory same management)
44	BRS	46	711/201.ccls. and (memory same management)

L Number	Hits	Search Text	DB	Time stamp
27	219	pointer same (available or remaining) same (space\$1 or memory) same end same begin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:16
32	11	pointer same (available or remaining) same (space\$1 or memory) same end same begin\$4 same sequent\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:22
33	81	pointer\$1 same (available or remaining) same (space\$1 or memory) same (center or middle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:32
34	72	pointer\$1 same (available or remaining) same (center or middle) same location\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:37
35	12648	pointer near4 A	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:39
36	2326	pointer near4 B	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:44
37	1235	(pointer near4 A) and (pointer near4 B)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:44
38	461	((pointer near4 A) and (pointer near4 B)) and (pointer near4 C)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:45
39	289	((((pointer near4 A) and (pointer near4 B)) and (pointer near4 C)) and available	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:46
40	270	(((((pointer near4 A) and (pointer near4 B)) and (pointer near4 C)) and available) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:46
41	127	(((((pointer near4 A) and (pointer near4 B)) and (pointer near4 C)) and available) and (memory near5 location\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 14:46